



ARMORCAST PRODUCTS COMPANY

13230 Saticoy Street
North Hollywood, California 91605
Telephone: (818) 982-3600
Fax #: (818) 982-7742

SPECIFICATION

Guardian Toy Barrier

INTENT: It is the intent of this specification to describe a toy system that is a replication of a large currently used traffic barrier on which Armorcast Products Company holds the patent.

SCOPE: This specification recognizes the need for a small child's toy to be shaped in the same manner as a traffic barrier, for such applications as; sand box design, play area containment, creation of quasi construction zone, etc.

CONSTRUCTION: The barrier is made using the rotational molding, injection molding, or blow molding method to ensure water tightness integrity. For the purposes of providing shape relationship only, it is 10 1/2" in height with a base width of 6". The length is 18" with an additional 1 3/8" protrusion on one end to form the male connection. Opposite the male end is a 1 3/8" intrusion of the same shape to accept the male protrusion to form a continuous wall connection. The barrier has, in the center, a filling hole, which is to be approximately 1" in diameter. The sides of the barrier have three sloping surfaces, the topmost and bottommost being nearly vertical and the middle surface being approximately 25 degrees from vertical. The lower sloping surface will terminate at the top of a 2" vertical rise. The middle sloping surface begins at this 2" mark and rises to 4 1/2" below the top of the barrier. The upper sloping surface accounts for this 4 1/2" section. On the bottom of the barrier there shall be approximately five ports to keep the appearance of a traditional barrier. All corners in all areas of the barrier shall have no less than 1" radius. The barrier shall have the appearance of a miniature traffic barrier, or New Jersey style barrier.

MATERIAL: Plastic of any polymer blend.

ULTRAVIOLET LIGHT: An ultraviolet light inhibitor is introduced into the raw material mix so as to provide sufficient protection to ensure reasonable life of the product in outside weather conditions.

COLORS: Any color on the pantone coloring schedule is available.



ARMORCAST PRODUCTS COMPANY

13230 Satcoy Street
North Hollywood, California 91605
Telephone: (818) 982-3600
Fax #: (818) 982-7742

PARENT CASE TEXT

CROSS REFERENCES TO RELATED APPLICATIONS

This application is not a continuation; however a product reduced in size related to U.S. Pat. Application Ser. No. 235675, filed Aug. 24, 1988, now U.S. Pat. No. 4,946,306.



ARMORCAST PRODUCTS COMPANY

13230 Saticoy Street
North Hollywood, California 91605
Telephone: (818) 982-3600
Fax #: (818) 982-7742

REFERENCES CITED

4113400	Sep., 1978	Smith	404/6
4224002	Sep., 1980	Heenan et al.	404/9
4406563	Sep., 1983	Urlberger	404/6
4661010	Apr., 1987	Almer et al.	404/6
4681302	Jul., 1987	Thompson	256/13
4762438	Aug., 1988	Dewing	404/6
4773629	Sep., 1988	Yodock	256/13



ARMORCAST PRODUCTS COMPANY

13230 Saticoy Street
North Hollywood, California 91605
Telephone: (818) 982-3600
Fax #: (818) 982-7742

**STATEMENT REGARDING FEDERALLY RESEARCH OR
DEVELOPMENT**

No Federally sponsored research or development.



ARMORCAST PRODUCTS COMPANY

13230 Saticoy Street
North Hollywood, California 91605
Telephone: (818) 982-3600
Fax #: (818) 982-7742

DESCRIPTION

BACKGROUND OF INVENTION

This invention is similar to that of a water-filled highway barrier of the New Jersey style, only that it is designed as a toy product for children to use for any number of applications.

There are no determined toys of any similarity to the Guardian Toy Barrier.

Products in similarity only in application do exist, such as sand boxes; however, no similarity in structure of design between said toy barrier and any sand box exist.

SUMMARY OF THE INVENTION

It is an object of this invention to provide a toy that allows children use in any number of ways.

It is another object of this invention to provide for connectivity between longitudinally extending containers in order to create linear, and/or polygonal shapes for applications thereof.

It is still another object of this invention to provide hollow containers, which might be filled with any liquid or applicable solid for further application.



ARMORCAST PRODUCTS COMPANY

13230 Saticoy Street
North Hollywood, California 91605
Telephone: (818) 982-3600
Fax #: (818) 982-7742

DETAILED DESCRIPTION

CONSTRUCTION OF TOY BARRIER: The barrier is made using the rotational molding, blow molding, or injection molding method to ensure water tightness integrity. For the purposes of providing shape relationship, it is 10" in height with a base width of 6". The length is 18" with an additional 1 3/8" protrusion on one end to form the male connection. Opposite the male end is a 1 3/8" intrusion of the same shape to accept the male protrusion to form a continuous wall connection. The barrier has, in the center, a filling hole, which is to be approximately 1 1/2" in diameter. The sides of the barrier have three sloping surfaces, the topmost and bottommost being nearly vertical and the middle surface being approximately 25 degrees from vertical. The lower sloping surface will terminate at the top of an 2" vertical rise. The middle sloping surface begins at this 2" mark and rises to 4 1/2" below the top of the barrier. The upper sloping surface accounts for this 4 1/2" section. On the bottom of the barrier there shall be a total of five slots of two different dimensions in order to keep the form of a traditional barrier. All corners in all areas of the barrier shall have no less than 1" radius. The barrier shall have the appearance of a highway traffic barrier of the New Jersey style. The barriers shall be made in multiple sizes; however, will hold the above described shape perspective.



ARMORCAST PRODUCTS COMPANY

13230 Saticoy Street
North Hollywood, California 91605
Telephone: (818) 982-3600
Fax #: (818) 982-7742

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1: Aerial view of the invention. (Claim 1,2,3)

Figure 2: Side view of the invention. (Claim 1,2,3)

Figure 3: Slanted angular view depicting male protrusion, showing top of female intrusion. (Claim 1,2,3)

Figure 4: Frontal view of invention. (Claim 1,2,3)